

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	426	BER with cycle with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:27
L6	19	BER with cycle near signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:29
L8	8	BER with measurement with cycle with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 14:09
L9	4756	375/376	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L10	0	kim.in. and "spread" and spread adj spectrum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L11	387	kim.in. and "spread" and (spread adj spectrum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L12	5	kim.in. and "spread" and (spread adj spectrum) and mimo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38

EAST Search History

L13	41	kim.in. and (spread adj spectrum) and delay and adder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L14	4966	kim.in. and "spread"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L15	170	kim.in. and (spread adj spectrum) and delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L16	4	("4097697" "4799790" "4823360" "5418789").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/20 13:38
L17	9	kim.in. and "re-spread"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L18	2	"20020141367".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L19	0	((sweeping or sampling) with (time or interval)) with (voltage with phase) with (error adj rate) with (cycle adj period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L20	0	(clock with extract\$5) with (phase with comparat\$5) with (frequency adj divided) with (vco or (voltage adj control\$3)) with (PLL or (phase adj locked)) with (average or LPF or low adj pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38

EAST Search History

L21	26	((sweeping or sampling) and (time or interval)) and (voltage with phase) and (error adj rate) and (cycle adj period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L22	325	(clock with extract\$5) and (phase with comparat\$5) and (frequency adj divided) and (vco or (voltage adj control\$3)) and (PLL or (phase adj locked)) and (average or LPF or low adj pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L23	1	(regeneration with control) and threshold and (clock with phase with setting) and decision and (eye with (pattern or diagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L24	2	"2002141367".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L25	28	("5896391").URPN.	USPAT	OR	ON	2007/07/20 13:38
L26	0	((((sweeping or sampling) and (time or interval)) and (voltage with phase) and (error adj rate) and (cycle adj period))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L27	5808	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with (set or setting) wit dinamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L28	32	("4097697" "4799790" "4823360" "5418789").PN. OR ("5896391").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/20 13:38
L29	1	((sweeping or sampling) with (time or interval)) with (voltage with phase) with (error adj rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38

EAST Search History

L30	0	regeneration and (eye same (diagram or pattern)) and (adjacent with poin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L31	36	regeneration and (eye same (diagram or pattern)) and (adjacent with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L32	2	((adaptive or dinamically) near2 frequency adj divid\$3) and (phase with difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L33	13	clock with extraction with transmission with rate with phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L34	0	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with (set or setting) with dinamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L35	102	(adaptive or dynamical\$2) with (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L36	350	phase with compar\$5 with "exclusive-or"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L37	4168	375/354	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38

EAST Search History

L38	1419	375/362	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L39	3254	375/371	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L40	1940	375/373	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L41	2	(clock with extract\$5) with (phase with comparat\$5) with (frequency adj divided) with (vco or (voltage adj control\$3)) with (PLL or (phase adj locked))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L42	1	(regeneration with control) same threshold same (clock with phase with setting) same decision same (eye with (pattern or diagam))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L43	1	(regeneration same control) and threshold and (clock same phase).and (decision with hold) and (eye same (pattern or diagam))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L44	338	375/214	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L45	1	("4595992").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/20 13:38
L46	1	"09/111772"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38

EAST Search History

L47	2	"5774023".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L48	1	regeneration with (eye same (diagram or pattern)) and (optimal adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L49	5	("5696792" "5920271" "5983082").PN. OR ("6040738").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/20 13:38
L50	7	("4114710" "4164758" "4357943" "4663844" "5394107" "5506531" "5635875").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/20 13:38
L51	4	regeneration with control with (eye same (diagram or pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L52	31	optimal with point with (eye same (diagram or pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L53	4	phase with comparat\$5 with (frequency adj divided) with (vco or (voltage adj control\$3)) with (PLL or (phase adj locked)) with average	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L54	3	regeneration with threshold with clock with phase with decision	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L55	8	(clock with extract\$5) same (phase with comparat\$5) same (frequency adj divided) same (vco or (voltage adj control\$3)) same (PLL or (phase adj locked)) same (average or LPF or low adj pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38

EAST Search History

L56	17	(clock with extract\$5) and (phase with comparat\$5) and (setting with frequency adj divided) and (vco or (voltage adj control\$3)) and (PLL or (phase adj locked)) and (average or LPF or low adj pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L57	4	(regeneration same control) and threshold and (clock same phase same setting) and decision and (eye same (pattern or diagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L58	24	(regeneration same control) and threshold and (clock same phase) and decision and (eye same (pattern or diagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L59	9	(regeneration same control) and threshold and (clock same phase) and (decision and hold\$4) and (eye same (pattern or diagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L60	5	o/e with filter\$4 with equaliz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L61	4	phase with compar\$5 with "or-exclusive"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L62	7	phase with compar\$5 with "exclusive-or" with rising	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L63	3	"11170392"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38

EAST Search History

L64	10	phase with compar\$5 with "exclusive-or" with duty	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L65	5	power with off with pll with frequency with dividing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L66	2	"4625180".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L67	4756	375/376	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L68	325	(clock with extract\$5) and (phase with comparat\$5) and (frequency adj divided) and (vco or (voltage adj control\$3)) and (PLL or (phase adj locked)) and (average or LPF or low adj pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L69	36	L68 and L67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L70	10	L68 and L38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L71	14	L68 and L37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38

EAST Search History

L72	0	regeneration with (eye same (diagram or pattern)) and (optimal adj poin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L73	759	331/4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L74	23	L68 and L39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L75	0	((frequency adj divid\$3) with (set or setting) with dinamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L76	12	L68 and L40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L77	4168	331/25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L78	25	L68 and L77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L79	1219	331/34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38

EAST Search History

L80	3	L68 and L79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L81	2113	455/260	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L82	3	L68 and L81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L83	5	("5696792" "5920271" "5983082"). PN. OR ("6040738").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/20 13:38
L84	10	((adaptive or dinamically) near12 frequency adj divid\$3) and (phase with difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L85	6	regeneration and (eye same (diagram or pattern)) and (adjacent with point with (match or equal or "same"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L86	3	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with (set or setting) with dynamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L87	6	(PLL or (phase adj locked adj loop)) and ((frequency adj divid\$3) with (set or setting) with dynamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L88	11	((frequency adj divid\$3) with (set or setting) with dynamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38

EAST Search History

L89	32	("4097697" "4799790" "4823360" "5418789").PN. OR ("5896391").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/20 13:38
L90	32	("4097697" "4799790" "4823360" "5418789").PN. OR ("5896391").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/20 13:38
L91	27	(adaptiv\$3 or (dynamically near (set or setting))) with (frequency adj divid\$3) and (phase with difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L92	2	(adaptive adj frequency adj divid\$3) and (phase with difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L93	21	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with adaptive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L94	2256	phase with comparat\$5 with (frequency adj divided)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L95	962	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with change)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L96	48	regeneration with (eye same (diagram or pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L97	105	(adaptiv\$3 or (dynamically near (set or setting))) with (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38

EAST Search History

L98	2	clock same extracti\$3 same (transmi\$5 same rate) same (phase same synchroniz\$5) same regeneration same eye	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L99	0	(PLL or (phase adj locked adj loop)) and ((frequency adj divid\$3) with (set or setting) with dinamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L100	77	clock with extraction with transmission with rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L101	95	(adaptive or (dynamically near (set or setting))) with (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L102	189	(adaptive or dynamical\$2) with (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L103	92	(adaptive or dynamical\$2) with (frequency adj divided)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L104	370	phase with comparat\$5 with (frequency adj divided) with (vco or (voltage adj control\$3)) with (PLL or (phase adj locked))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L105	0	L100 and L104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38

EAST Search History

L106	0	phase with comparat\$5 with (frequency adj divided) with (vco or (voltage adj control\$3)) with (PLL or (phase adj locked)) with (clock with extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L107	13400	(PLL or (phase adj locked adj loop)) and (frequency adj divider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L108	52	adaptive near10 (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L109	2144	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with (set or setting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L110	0	phase with compar\$5 with exclusive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L111	0	phase with compar\$5 with "or-exclusive"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L112	8	(regeneration same control) and threshold and (clock same phase) and (decision and hold\$4) and (eye same (pattern or diagram)) and exclusive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L113	198	375/215	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38

EAST Search History

L114	0	L68 and L113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L115	529	331/12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L116	273	455/180.3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L117	0	L68 and L116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L118	75	388/911	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L119	0	L68 and L118	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L120	1	L68 and L73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L121	1	"09/997655"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38

EAST Search History

L122	1	L68 and L44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L123	3	clock with extraction with transmission with rate with phase with synchroniz\$5 and regeneration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L124	1	(regeneration with control) with threshold with (clock with phase with setting) with decision with (eye with (pattern or diagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L125	1	L68 and L115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L126	8	regeneration and (eye same (diagram or pattern)) same (adjacent with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L127	3	clock with extraction with transmission with rate with phase with synchroniz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L128	2	"4516083".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L129	13	("4595992").PN. OR ("5384552").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/20 13:38
L130	24	adaptive near5 (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38

EAST Search History

L131	2	clock same extracti\$3 with (transmi\$5 with rate) same (phase with synchroniz\$5) and regeneration and eye	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L132	24	clock and extracti\$3 and (transmi\$5 same rate) and (phase same synchroniz\$5) and regeneration and (eye same (diagram or pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 13:38
L133	409	BER with measurement with rate with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 14:09
L134	15	BER with measurement with period with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 15:38
L135	4	"4114710".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 16:26
L136	36	68 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 16:31
L137	0	((regenration with circuit) and (clock wit extraction)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 16:32

EAST Search History

L138	16	((regeneration with circuit) and (clock with extraction)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 16:33
L139	3	((regeneration with circuit) and (clock with extraction) and (voltage with threshold)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 16:38
L140	2	"5896391".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 16:41
L141	2	"20010038674".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 16:41

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[drjatorres@gmail.com](#) | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Google](#)

"clock timing" "regeneration control circuit"

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 1 of 1 for "**clock timing**" "**regeneration control circuit**". (0.27 seconds)

Tip: Try removing quotes from your search to get more results.

Transmission device - Patent 20030007222

The present invention enables flexible **clock timing** extraction control. [0061] The **regeneration control circuit** 20 is now described in detail. FIG. ...

www.freepatentsonline.com/20030007222.html - 72k - [Cached](#) - [Similar pages](#) - [Note this](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

"clock timing" "regeneration control c"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[drjatorres@gmail.com](#) | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

Google

"clock timing" "regeneration control circuit"

[Advanced Search](#)
[Preferences](#)

Web

Results **1 - 1 of 1** for "**clock timing**" "**regeneration control circuit**". (0.27 seconds)

Tip: Try removing quotes from your search to get more results.

Transmission device - Patent 20030007222

The present invention enables flexible **clock timing** extraction control. [0061] The

regeneration control circuit 20 is now described in detail. FIG. ...

www.freepatentsonline.com/20030007222.html - 72k - [Cached](#) - [Similar pages](#) - [Note this](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

"clock timing" "regeneration control c

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[drjatorres@gmail.com](#) | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Google](#)

"voltage threshold" pll "regeneration control circuit"

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 1 of 1 for "**voltage threshold**" pll "**regeneration control circuit**". (0.32 seconds)

Tip: Try removing quotes from your search to get more results.

Transmission device - Patent 20030007222

A **regeneration control circuit** sequentially sweeps a **voltage threshold** the transmission rate of the input signal and performs the **PLL** control so that ...

www.freepatentsonline.com/20030007222.html - 72k - [Cached](#) - [Similar pages](#) - [Note this](#)

Download [Google Pack](#): free essential software for your PC

"voltage threshold" pll "regeneration

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

drjatorres@gmail.com | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Google](#)

"voltage threshold" regeneration circuit control

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about **199** for **"voltage threshold" regeneration circuit control clock timing**. (0.28 sec)

Optical receiver - US Patent 6335815

The **timing** extraction **circuit** 43 must suppress the jitter of the **regeneration** output pulse output as the **timing** signal 46. For this purpose, a pulse ...

www.patentstorm.us/patents/6335815-description.html - 27k -

[Cached](#) - [Similar pages](#) - [Note this](#)

System and method for sampling an analog signal level - US Patent ...

The mode detection **circuit** then programs the **clock** recovery **circuit** within between sample points using a comparison **voltage threshold** set at step 401. ...

www.patentstorm.us/patents/6473131-description.html - 47k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from www.patentstorm.us](#)]

Transmission device - Patent 20030007222

A **clock timing** extraction **circuit** dynamically sets a frequency-dividing ratio ... A

regeneration control circuit sequentially sweeps a **voltage threshold** ...

www.freepatentsonline.com/20030007222.html - 72k - [Cached](#) - [Similar pages](#) - [Note this](#)

Forward error correction assisted receiver optimization - Patent ...

The optimum **voltage threshold** $V_{sub.opt}$ and the optimum phase ... The **control circuit** then switches to the data **regeneration** mode of operation in step 204. ...

www.freepatentsonline.com/5896391.html - 46k - [Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from www.freepatentsonline.com](#)]

[PDF] Memory Circuits for Multiple Valued Logic Voltage Signals

File Format: PDF/Adobe Acrobat

definitions for the **control** logic. Two **circuit** realizations ... low, middle, and high **voltage threshold** detector circuits. with fixed thresholds are simply ...

doi.ieeecomputersociety.org/10.1109/ISMLV.1995.513509 - [Similar pages](#) - [Note this](#)

[PDF] MAX 5510 ACRegenerator Owner's Manual

File Format: PDF/Adobe Acrobat - [View as HTML](#)

AC Regeneration Control. : Pushbutton switch used for selecting the power ... filtered outlets to maintain correct **clock time** and programmed recording ...

www.panamax.com/pdf/INS5510B.pdf - [Similar pages](#) - [Note this](#)

[PDF] MAX 5500 ACRegenerator Owner's Manual

File Format: PDF/Adobe Acrobat - [View as HTML](#)

should be connected to one of these always-on, filtered outlets to maintain correct **clock time** and programmed recording. information. ...

www.panamax.com/Literature/PDF/INS5500C.pdf - [Similar pages](#) - [Note this](#)

[[More results from www.panamax.com](#)]

[PDF] DCM/diff.D: a treshhold-less and dynamic decision making receiver ...

File Format: PDF/Adobe Acrobat

overcomes the problems associated with **voltage threshold** in. conventional systems, and how it suggest the ... **regeneration** is perfc@Zd&decision **circuit** (DC) ...

ieeexplore.ieee.org/iel5/8981/28517/01274336.pdf - [Similar pages](#) - [Note this](#)

[PDF] [LT3845 TYPICAL APPLICATION FEATURES APPLICATIONS DESCRIPTION High ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

This minimum off-**time**: mode of operation assures **regeneration** of the BOOST.
bootstrapped supply. The soft-start **circuit** takes **control** of the output ...

www.linear.com/pc/downloadDocument.do?

navId=H0,C1,C1003,C1042,C1032,C1082,P32352,D18038 - [Similar pages](#) - [Note this](#)

[PDF] [3011 Research Paper](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

signal is out of its **voltage threshold**. However, this threshold has been made

SYNCHRONIZATION. DETECTION AND. **TIMING. CLOCK. REGENERATION.**

CONTROL ...

www.tc.umn.edu/~erick205/Papers/3011Paper.pdf - [Similar pages](#) - [Note this](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

"voltage threshold" regeneration circ

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[drjatorres@gmail.com](#) | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Google](#)

"voltage threshold" regeneration circuit control

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 74 for "voltage threshold" regeneration circuit control clock timing decision point

Transmission device - Patent 20030007222

A **regeneration control circuit** sequentially sweeps a **voltage threshold** level **circuit** 20 performs **regeneration control** with the above **decision point** ...

www.freepatentsonline.com/20030007222.html - 72k - [Cached](#) - [Similar pages](#) - [Note this](#)

Forward error correction assisted receiver optimization - Patent ...

The optimum **voltage threshold** $V_{sub, opt}$ and the optimum phase ... The **control circuit** then switches to the data **regeneration** mode of operation in step 204. ...

www.freepatentsonline.com/5896391.html - 46k - [Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from www.freepatentsonline.com](#)]

[PDF] DCM/diff.D: a treshold-less and dynamic decision making receiver ...

File Format: PDF/Adobe Acrobat

regeneration is $perf_{DC}$ & decision **circuit** (DC). [7-91. If the $\$put.vol_{ge}$ is higher that Shiraiwa, M. "An adaptive **decision threshold control** ...

ieeexplore.ieee.org/iel5/8981/28517/01274336.pdf - [Similar pages](#) - [Note this](#)

EPA: Federal Register: Control of Air Pollution From New Motor ...

One of the key considerations for a DPF **regeneration control** system is the reached a "pass" **decision** since insufficient **time** had passed to allow ...

www.epa.gov/fedrgstr/EPA-AIR/2007/January/Day-24/a110a.htm - 377k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] A VLSI System for Light-Stripe Range Imaging

File Format: PDF/Adobe Acrobat - [View as HTML](#)

voltage threshold. If a photodiode senses the reflected light stripe going detects the light stripe at a **point** in **time** in a given row (assuming the ...

www.ece.cmu.edu/research/publications/1992/CMU-ECE-1992-051.pdf -

[Similar pages](#) - [Note this](#)

R2D2 Reconfigurable and Retargetable Digital Devices COM François ...

The foundry process is modified to meet the **voltage threshold** requirements The modeling of reconfigurable architecture from the **point** of view of the ...

www.inria.net/rapportsactivite/RA2005/r2d2/r2d2.xml - 234k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[PS] Team R2D2. Reconfigurable and Retargetable Digital Devices

File Format: Adobe PostScript - [View as Text](#)

schedule and a run-**time** congestion resolution has shown important gains in hardware area, while preserving the design **clock** period. ...

www.inria.net/rapportsactivite/RA2005/r2d2/r2d2.ps.gz - [Similar pages](#) - [Note this](#)

[PDF] performance performance

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Motion **Control** implementation using low-cost, fixed-**point** TMS320F24x™ DSPs. s

Built-in conversion **clock**; conversion **time** of. 3.6 μ s (TLV2541/42/45); ...

dsplab.kangwon.ac.kr/tilab/tech/2000_06_oct.pdf - [Similar pages](#) - [Note this](#)

Lighting unit

The inverse voltage is limited by the serially connected diode 28 and resistor 29, and represents the starting **point** for each **timing** interval of the ...
www.okpatent.us/optical_cable_coupling_adapter/lighting_unit.html - 131k -
[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] Deterministic Jitter in Broadband Communication

File Format: PDF/Adobe Acrobat
into a **clock** and data recovery **circuit**. The second compensates rising and falling
crosses a **decision voltage threshold**, v. th . This **timing** deviation ...
[etd.caltech.edu/etd/available/etd-01302006-154842/](http://etd.caltech.edu/etd/available/etd-01302006-154842/unrestricted/Buckwalter_Thesis01_06.pdf)
[unrestricted/Buckwalter_Thesis01_06.pdf](http://etd.caltech.edu/etd/available/etd-01302006-154842/unrestricted/Buckwalter_Thesis01_06.pdf) - [Similar pages](#) - [Note this](#)

[1](#) [2](#) [3](#) [4](#) [5](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

"voltage threshold" regeneration circ.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

drjatorres@gmail.com | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Google](#)

"voltage threshold" regeneration circuit control

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about **55** for "**voltage threshold**" **regeneration circuit control clock timing decision pc**

Transmission device - Patent 20030007222

A **clock timing** extraction **circuit** dynamically sets a frequency-dividing ratio ... A

regeneration control circuit sequentially sweeps a **voltage threshold** ...

www.freepatentsonline.com/20030007222.html - 72k - [Cached](#) - [Similar pages](#) - [Note this](#)

System and method for selecting optimal data transition types for ...

The **clock** recovery **circuit** of claim 1, the select-logic **control circuit** The **decision** to **time** the sample **clock** based upon a given transition type can ...

www.freepatentsonline.com/20050201491.html - 193k - [Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from www.freepatentsonline.com](#)]

EPA: Federal Register: **Control** of Air Pollution From New Motor ...

One of the key considerations for a DPF **regeneration control** system is the amount

Manufacturers may use a **voltage threshold** higher than 11.0 Volts to ...

www.epa.gov/fedrgstr/EPA-AIR/2007/January/Day-24/a110a.htm - 377k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] A VLSI System for Light-Stripe Range Imaging

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Hz power **cycle**, will not affect the **circuit** since the current change is ... detects the light stripe at a **point** in **time** in a given row (assuming the swipe ...

www.ece.cmu.edu/research/publications/1992/CMU-ECE-1992-051.pdf -

[Similar pages](#) - [Note this](#)

R2D2 Reconfigurable and Retargetable Digital Devices COM François ...

The foundry process is modified to meet the **voltage threshold** requirements The

modeling of reconfigurable architecture from the **point** of view of the ...

www.inria.net/rapportsactivite/RA2005/r2d2/r2d2.xml - 234k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[PS] Team R2D2 Reconfigurable and Retargetable Digital Devices

File Format: Adobe PostScript - [View as Text](#)

schedule and a run-**time** congestion resolution has shown important gains in hardware area, while preserving the design **clock** period. ...

www.inria.net/rapportsactivite/RA2005/r2d2/r2d2.ps.gz - [Similar pages](#) - [Note this](#)

[PDF] performance performance

File Format: PDF/Adobe Acrobat - [View as HTML](#)

can use floating-**point** precision for more sophisticated robotics and motion **control**. s

Robotics: Eight 32-bit instructions/**cycle** for ...

dsplab.kangwon.ac.kr/tilab/tech/2000_06_oct.pdf - [Similar pages](#) - [Note this](#)

Lighting unit

The thermal **time** constants of the lamp are such that the **time** required for cooling from a hot operating condition to the **point** where a conventional (1-6 KV) ...

www.okpatent.us/optical_cable_coupling_adapter/lighting_unit.html - 131k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] **Deterministic Jitter in Broadband Communication**

File Format: PDF/Adobe Acrobat

Cycle-to-cycle jitter is also useful to characterize **circuit** performance. This is crosses a **decision voltage threshold**, v. th . This **timing** deviation ...

etd.caltech.edu/etd/available/etd-01302006-154842/

unrestricted/Buckwalter_Thesis01_06.pdf - [Similar pages](#) - [Note this](#)

[doc] **HISD Design Guidelines**

File Format: Microsoft Word - [View as HTML](#)

Documentation of life **cycle** testing and UL 1449 short **circuit** rating must be provided.

Provide contactor/relay for CS **control** via a single **point**. ...

www.houstonisd.org/.../70087542MEP%20Design%20Guidelines%20Revision%20No.%201%20-%202010.05.04.doc - [Similar pages](#) - [Note this](#)

[1](#) [2](#) [3](#) [4](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

"voltage threshold" regeneration circ

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

drjatorres@gmail.com | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Google](#)

"voltage threshold" regeneration circuit control

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of 10 for "voltage threshold" regeneration circuit control clock timing decision point "tr

Transmission device - Patent 20030007222

A **regeneration control circuit** sequentially sweeps a **voltage threshold** level ... a **clock timing** based on the **transmission rate**; and a **regeneration control** ...

www.freepatentsonline.com/20030007222.html - 72k - [Cached](#) - [Similar pages](#) - [Note this](#)

Means and method for a synchronous network communications system ...

The **Clock Control** Logic (M201) then transitions the system into the next The **Timing Recovery Circuit** (353) for the 100/1000/2000BaseT generates a 125 ...

www.freepatentsonline.com/6377640.html - 290k - [Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from www.freepatentsonline.com](#)]

[PDF] DCM/diff.D: a treshold-less and dynamic decision making receiver ...

File Format: PDF/Adobe Acrobat

regeneration is perfc@Zd&decision **circuit** (DC). [7-91. If the \$put.vol@ge is higher that Shiraiwa, M. "An adaptive **decision threshold control** ...

ieeexplore.ieee.org/iel5/8981/28517/01274336.pdf - [Similar pages](#) - [Note this](#)

[PDF] IEEE standards for local area networks: supplements to carrier ...

File Format: PDF/Adobe Acrobat

At the **time** IEEE Standard 802.3 was first published, a. basic **decision** was made to the DTE physical layers on the **Control In circuit**. ...

ieeexplore.ieee.org/iel1/2565/1002/00026520.pdf?arnumber=26520 -

[Similar pages](#) - [Note this](#)

R2D2 Reconfigurable and Retargetable Digital Devices COM François ...

The foundry process is modified to meet the **voltage threshold** requirements The modeling of reconfigurable architecture from the **point** of view of the ...

www.inria.net/rappportsactivite/RA2005/r2d2/r2d2.xml - 234k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[PS] Team R2D2 Reconfigurable and Retargetable Digital Devices

File Format: Adobe PostScript - [View as Text](#)

schedule and a run-**time** congestion resolution has shown important gains in hardware area, while preserving. the design **clock** period. ...

www.inria.net/rappportsactivite/RA2005/r2d2/r2d2.ps.gz - [Similar pages](#) - [Note this](#)

[PDF] 10Base2 The IEEE/ISO 8802-3 (IEEE 8023) standard for thin ethernet

File Format: PDF/Adobe Acrobat

receiving devices are not synchronized (without a **clock**. signal). predictable and correlated at any **point** in **time** or space, ...

www.cabledoc.at/pdf/glossary.pdf - [Similar pages](#) - [Note this](#)

[PDF] Statistical Properties of Filtered Amplified Spontaneous Emission ...

File Format: PDF/Adobe Acrobat

The **decision circuit** is used to decode the noise-compted signal based on the amplitude the **voltage threshold** is set above the termination voltage. ...

www.collectionscanada.ca/obj/s4/f2/dsk1/tape8/PQDD_0019/MQ47029.pdf -

[Similar pages](#) - [Note this](#)

[PDF] [HDMI Specification 1.3](#)

File Format: PDF/Adobe Acrobat

The HDMI **clock regeneration** architecture can take advantage of this within a short period of **time**, this **transmission rate** limits the maximum size of ...

www.eetchina.com/ARTICLES/2006AUG/PDF/HDMI_Spec_1.3_GM1.pdf?

SOURCES=DOWNLOAD - [Similar pages](#) - [Note this](#)

[Channel equalization system and method - Patent Review 6904110](#)

At the physical layer security, the absolute and precision **control** of a universal **time** event via the Com2000.TM. **Clock** Transfer technology is marching along ...

www.wikipatents.com/6904110.html - 662k - [Cached](#) - [Similar pages](#) - [Note this](#)

In order to show you the most relevant results, we've omitted some entries very similar to the 10 already displayed.

If you like, you can repeat the search with the omitted results included.

Try [Google Desktop](#): search your computer as easily as you search the web.

"voltage threshold" regeneration circ

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "'('voltage threshold' and regeneration and circuit and control and clock and timing and decision a..."

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance search.

Indexed by
 Inspec®[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(['voltage threshold' and regeneration)<in>metadata)"

e-mail

Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(['voltage threshold' and regeneration)<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by
[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2006 IEEE -

PALM Intranet

Application
Number

IDS Flag Clearance for Application 09997655

**IDS
Information**

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
WIDS	2001-11-29	9	Y <input checked="" type="checkbox"/>	2007-05-09 00:00:00.0	CR #232884
<input type="button" value="Update"/>					

Day : Friday
Date: 7/20/2007

Time: 12:49:39

 **PALM INTRANET**

Continuity Information for 09/997655

Parent Data**No Parent Data****Child Data****No Child Data**[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#)**Search Another: Application #** **or Patent#** **PCT /** **/** **or PG PUBS #** **Attorney Docket #** **Bar Code #**

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Friday
Date: 7/20/2007

Time: 12:49:44

PALM INTRANET

Foreign Information for 09/997655

Priority#	Date	Country
2001-204163	07/05/2001	JAPAN

Appln Info

Contents

Petition Info

Atty/Agent Info

Continuity/Reexam

Foreign
Data ☐

Search Another: Application #

Search

or Patent#

Search

PCT /

/

Search

or PG PUBS #

Search

Attorney Docket #

Search

Bar Code #

Search

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Friday
Date: 7/20/2007

Time: 12:49:48

 **PALM INTRANET**

Inventor Information for 09/997655

Inventor Name	City	State/Country
KWASAKI, WATARU	KANAGAWA	JAPAN
ITO, SUNAO	KANAGAWA	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign I](#)

Search Another: Application #

or Patent#

PCT /

/

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Friday
Date: 7/20/2007

Time: 12:49:53

**PALM INTRANET**

Inventor Name Search Result

Your Search was:

Last Name = ITO

First Name = SUNAO

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09997655	Not Issued	41	11/29/2001	Transmission device	ITO, SUNAO
08528321	5646763	150	09/14/1995	OPTICAL TRANSMITTER AND LASER DIODE MODULE FOR USE IN THE OPTICAL TRANSMITTER	ITOU, SUNAO
09750242	6469823	150	12/29/2000	OPTICAL WAVELENGTH CONVERTER AND OPTICAL WAVELENGTH DIVISION MULTIPLEXING COMMUNICATION SYSTEM USING THE SAME	ITOU, SUNAO

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name
<input type="text" value="ITO"/>	<input type="text" value="SUNAO"/>
<input type="button" value="Search"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Friday
Date: 7/20/2007

Time: 12:50:01

 **PALM INTRANET**

Inventor Name Search Result

Your Search was:

Last Name = KWASAKI

First Name = WATARU

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09997655	Not Issued	41	11/29/2001	Transmission device	KWASAKI, WATARU

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name
KWASAKI	WATARU

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Friday
Date: 7/20/2007

Time: 12:50:07

 **PALM INTRANET**

Correspondence Address for 09/997655

Customer Number	Contact Information	Address
No Customer # Delivery Mode: <u>PAPER</u>	Telephone: No Telephone # Fax: No Fax # E-Mail: No E-Mail Address	ROSEMAN & COLIN LLP LINDA S. CHAN 575 MADISON AVENUE IP DEPARTMENT 15TH FL. NEWYORK NY 10022-2585

[Appln Info](#) [Contents](#) [Petition Info](#) [Atty/Agent Info](#) [Continuity/Reexam](#) [Foreign I](#)

Search Another: Application #

or Patent#

PCT /

/

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)